

The product contains Li-on batteries inside. Please keep it away from fire, strong vibration, exposure to direct sunshine or any improper use. Please keep the wireless charger away from high humidity environment.

Technical data

Nominal power: 2.2 W Operating voltage: 5 VDC

Nonimal flux (full brightness): 190 LM

Typical CRI: 97 RA R9:95 Charging time: 3 Hours

Service time: 15 Hours with full brightness

Dimming range: 5-100% Defalut brightness: 100 % Battery capacity: 5,000 mAH Lamp shade material: Aluminum Charging dock: USB type C

Working temperature: -20°C ~ 35°C

Safety class: III SELV

Ingress protection rating: IP 54

Safety standard: CE
Over charge protection: Yes
Over discharge protection: Yes
Low battery indicator light: Yes
Wireless charging function: Yes

1 M type C cable inlauded in package



Turn on your CALIDA WIRELESS by slightly touching the \boldsymbol{U} on the top of the lamp shade.

Touch the **U** again to turn off the lamp.

Dimming: keeping touching the $\boldsymbol{\upsilon}$ for at least 3 seconds to

dim the brightness up or down.

Charging by USB:


Please charge your CALIDA WIRELESS when the indicator light on the lamp base turns to red which indicates low battery capacity. The indicator light will turn to green when bettery being fully charged.


Charging by wireless charger:

Put your CALIDA WIRELESS on the wireless charger. The indicator light will turn to green when battery being fully charged. The wireless charger suitbale for various mobiles which support wireless charging function.


The USB type C dock is water proof, however, please keep the product away from wet locations while charging to avoid damage.


- 5V 2A power adapter (IP 20)
- 10W Wireless Charger (IP 20)











The product contains Li-on batteries inside. Please keep it away from fire, strong vibration, exposure to direct sunshine or any improper use. Please keep the wireless charger away from high humidity environment.

Technical data

Nominal power: 2.2 W Operating voltage: 5 VDC

Nonimal flux (full brightness): 190 LM

Typical CRI: 97 RA R9:95 Charging time: 3 Hours

Service time: 15 Hours with full brightness

Dimming range: 5-100% Defalut brightness: 100 % Battery capacity: 5,000 mAH Lamp shade material: Aluminum Charging dock: USB type C

Working temperature: -20°C ~ 35°C

Safety class: III SELV

Ingress protection rating: IP 54

Safety standard: CE Over charge protection: Yes Over discharge protection: Yes Low battery indicator light: Yes Wireless charging function: Yes

1 M type C cable inlouded in package



Turn on your CALIDA WIRELESS by slightly touching the \boldsymbol{U} on the top of the lamp shade.

Touch the **U** again to turn off the lamp.

Dimming: keeping touching the $oldsymbol{0}$ for at least 3 seconds to

dim the brightness up or down.

Charging by USB:


Please charge your CALIDA WIRELESS when the indicator light on the lamp base turns to red which indicates low battery capacity. The indicator light will turn to green when bettery being fully charged.


Charging by wireless charger:

Put your CALIDA WIRELESS on the wireless charger. The indicator light will turn to green when battery being fully charged. The wireless charger suitbale for various mobiles which support wireless charging function.


The USB type C dock is water proof, however, please keep the product away from wet locations while charging to avoid damage.


- 5V 2A power adapter (IP 20)
- 10W ireless Charger (IP 20)











The product contains Li-on batteries inside. Please keep it away from fire, strong vibration, exposure to direct sunshine or any improper use. Please keep the wireless charger away from high humidity environment.

Technical data

Nominal power: 2.2 W Operating voltage: 5 VDC

Nonimal flux (full brightness): 190 LM

Typical CRI: 97 RA R9:95 Charging time: 3 Hours

SService time: 15 Hours with full brightness

Dimming range: 5-100% Defalut brightness: 100 % Battery capacity: 5,000 mAH Lamp shade material: Aluminum Charging dock: USB type C

Working temperature: -20°C ~ 35°C

Safety class: III SELV

Ingress protection rating: IP 54

Safety standard: CE
Over charge protection: Yes
Over discharge protection: Yes
Low battery indicator light: Yes
Wireless charging function: Yes

1 M type C cable inlcuded in package



Turn on your CALIDA WIRELESS by slightly touching the \boldsymbol{U} on the top of the lamp shade.

Touch the **U** again to turn off the lamp.

Dimming: keeping touching the $oldsymbol{0}$ for at least 3 seconds to

dim the brightness up or down.

Charging by USB:


Please charge your CALIDA WIRELESS when the indicator light on the lamp base turns to red which indicates low battery capacity. The indicator light will turn to green when bettery being fully charged.


Charging by wireless charger:

Put your CALIDA WIRELESS on the wireless charger. The indicator light will turn to green when battery being fully charged. The wireless charger suitbale for various mobiles which support wireless charging function.


The USB type C dock is water proof, however, please keep the product away from wet locations while charging to avoid damage.


- 5V 2A power adapter (IP 20)
- 10W ireless Charger (IP 20)











The product contains Li-on batteries inside. Please keep it away from fire, strong vibration, exposure to direct sunshine or any improper use. Please keep the wireless charger away from high humidity environment.

Technical data

Nominal power: 2.2 W Operating voltage: 5 VDC

Nonimal flux (full brightness): 190 LM

Typical CRI: 97 RA R9:95 Charging time: 3 Hours

Service time: 15 Hours with full brightness

Dimming range: 5-100% Defalut brightness: 100 % Battery capacity: 5,000 mAH Lamp shade material: Aluminum Charging dock: USB type C

Working temperature: -20°C ~ 35°C

Safety class: III SELV

Ingress protection rating: IP 54

Safety standard: CE Over charge protection: Yes Over discharge protection: Yes Low battery indicator light: Yes Wireless charging function: Yes

1 M type C cable inlouded in package



Turn on your CALIDA WIRELESS by slightly touching the \boldsymbol{U} on the top of the lamp shade.

Touch the **U** again to turn off the lamp.

Dimming: keeping touching the $oldsymbol{0}$ for at least 3 seconds to

dim the brightness up or down.

Charging by USB:


Please charge your CALIDA WIRELESS when the indicator light on the lamp base turns to red which indicates low battery capacity. The indicator light will turn to green when bettery being fully charged.


Charging by wireless charger:

Put your CALIDA WIRELESS on the wireless charger. The indicator light will turn to green when battery being fully charged. The wireless charger suitbale for various mobiles which support wireless charging function.


The USB type C dock is water proof, however, please keep the product away from wet locations while charging to avoid damage.


- 5V 2A power adapter (IP 20)
- 10W ireless Charger (IP 20)











The product contains Li-on batteries inside. Please keep it away from fire, strong vibration, exposure to direct sunshine or any improper use. Please keep the wireless charger away from high humidity environment.

Technical data

Nominal power: 2.2 W Operating voltage: 5 VDC

Nonimal flux (full brightness): 190 LM

Typical CRI: 97 RA R9:95 Charging time: 3 Hours

Service time: 15 Hours with full brightness

Dimming range: 5-100% Defalut brightness: 100 % Battery capacity: 5,000 mAH Lamp shade material: Aluminum Charging dock: USB type C

Working temperature: -20°C ~ 35°C

Safety class: III SELV

Ingress protection rating: IP 54

Safety standard: CE Over charge protection: Yes Over discharge protection: Yes Low battery indicator light: Yes Wireless charging function: Yes

1 M type C cable inlcuded in package



Turn on your CALIDA WIRELESS by slightly touching the \boldsymbol{U} on the top of the lamp shade.

Touch the **U** again to turn off the lamp.

Dimming: keeping touching the $oldsymbol{0}$ for at least 3 seconds to

dim the brightness up or down.

Charging by USB:

Please charge your CALIDA WIRELESS when the indicator light on the lamp base turns to red which indicates low battery capacity. The indicator light will turn to green when bettery being fully charged.

Charging by wireless charger:

Put your CALIDA WIRELESS on the wireless charger. The indicator light will turn to green when battery being fully charged. The wireless charger suitbale for various mobiles which support wireless charging function.

The USB type C dock is water proof, however, please keep the product away from wet locations while charging to avoid damage.

- 5V 2A power adapter (IP 20)
- 10W ireless Charger (IP 20)

